The green boxes below represents items that should be reviewed each time a space is updated.

	Room Information that can be Updated
	(Enter the changes and click an 'UPDATE' button below.)
	UPDATE Reflect department that "owns" the space
Room is assigned to:	Engineering Reflect department that is utilizing the space
Room user:	Engineering ▼
Room is reserved until:	(format MM-DD-YY) This field is generally not used.
Occupant(s)	none
Space Coordinators: Department Coordinator: Equipment Coordinator:	Valentina O'Kane Valentina O'Kane Owen P Mills Dack-up: Owen P Mills CIP, USE, and FUNC should be assigned based on the usage of
CIP code CIP Info USE code USE Info FUNCTION code FUNC Info	Engineering the room. Click on the links to find more info. 250 Research/Nonclass Laboratory 2.0 Organized/Sponsored Research
COMMENT: (up to 3 lines)	Free form field for misc comments regarding space and usage Update this every time room data is
CONDITION: COND Info	Satisfactory Condition ▼ last update: Nov-16-2009 reviewed. Click 'COND Info' for more info
COUNTER-TOP Fume Hoods: 1	CALIFORNIA Fume Hoods: WALK-IN Fume Hoods:
WORK STATIONS: WORK STA Info	room data information every time room data is
ROOM DATA STATUS:	ROOM DATA is NOT_OK ▼ on Sep-27-17
A-21 - FUNCTIONAL USAGE PERCENTS Usage Definitions These should reflect the average	
INSTRUCTION DEPARTMENTAL RESEARCH ORGANIZED RESEARCH OTHER SPONSORED ACTIVITIES OTHER INSTITUTIONAL ACTIVITIES DEPARTMENTAL ADMINISTRATION	O GENERAL ADMINISTRATION O OPERATIONS AND MAINTENANCE O STUDENT ADMIN SERVICE O LIBRARY USES O VACANT SPACE O SPONSORED PROJECT ADMIN O GENERAL ADMINISTRATION O Usage over the course of a year. Although it is somewhat arbitrary, the Payroll distributions and accounting room usage listed below can be used as a guide.
	UPDATE
Tech attributes are updated by IT in Bar purposes only.	Basic attributes can be added—examples are Center or Institute usage, core facility, fire alarms, first aid kit, hazardous materials present, leased not owned space, visiting scholar room, etc. TECHNOLOGY ATTRIBUTES Lab attributes can be added—examples are Biosafety cabinets, fume hoods, eye wash station, etc
INDEX Prog Description	PAYROLL DISTRIBUTION - OCCUPANTS From Aug-28-2017 Days back 30 30 more days 30 less days 365 more days 365 less days PCT Payroll-Position Occupant Payroll-Position Occupant Payroll info is fed from Banner. For info purposes only.
INDEX	
All equipment information is fed into this form through Banner— no need to update. If there is an error contact the Property office.	Ptag Description Department CapYr 102796 Variable Pressure Bridgman-Style Furnace TagDt Jul-06-2011 Serial 701428 Mnfgr Silvan Industries, Inc. Model Custom Part H.187; S.187 Vend P0088066 PC⊅ D0088066 Pc⊅ D0088066 Pc⊅ D0088066 Pc⊅ D0088068 Mnfgr Pive Sanders, Paul Model Custom Part H.187; S.187 Vend P0088068 Pressure Bridgman-Style Furnace TagDt Jan-16-2012 Serial 701428 Mnfgr Piv. Sanders, Paul Model Custom Part H.187; S.187 Vend unknown Po♯ unknown